



**FEMALE THREAD KAMLOCK ADAPTOR**

**TYPE A**




Measure-ments	Aluminium	Bronze	Stainless steel	Polypropylene
1/2"	4650	*4650/1	*4650/2	*4650/3
3/4"	4651	*4651/1	*4651/2	*4651/3
1"	4652	*4652/1	*4652/2	*4652/3
1 1/4"	4653	*4653/1	*4653/2	*4653/2
1 1/2"	4654	*4654/1	*4654/2	*4654/3
2"	4655	*4655/1	*4655/2	*4655/3
2 1/2"	4656	*4656/1	*4656/2	
3"	4657	*4657/1	*4657/2	*4657/3
4"	4658	*4658/1	*4658/2	
5"	4659	*4659/1	*4659/2	
6"	4660	*4660/1	*4660/2	

\* Non-standard products, manufactured to order. No returns accepted.

**FEMALE THREAD KAMLOCK COUPLER**

**TYPE D**



Measure-ments	Aluminium	Bronze	Stainless steel	Polypropylene
1/2"	4699	*4699/1	*4699/2	*4699/3
3/4"	4700	*4700/1	*4700/2	*4700/3
1"	4701	*4701/1	*4701/2	*4701/3
1 1/4"	4707	*4707/1	*4707/2	*4707/2
1 1/2"	4702	*4702/1	*4702/2	*4702/3
2"	4703	*4703/1	*4703/2	*4703/3
2 1/2"	4704	*4704/1	*4704/2	
3"	4705	*4705/1	*4705/2	*4705/3
4"	4706	*4706/1	*4706/2	
5"	4707	*4707/1	*4707/2	
6"	4708	*4708/1	*4708/2	

\* Non-standard products, manufactured to order. No returns accepted.

**MALE THREAD KAMLOCK ADAPTOR**

**TYPE F**



Measure-ments	Aluminium	Bronze	Stainless steel	Polypropylene
1/2"	4920	*4920/1	*4920/2	*4920/3
3/4"	4921	*4921/1	*4921/2	*4921/3
1"	4922	*4922/1	*4922/2	*4922/3
1 1/4"	4923	*4923/1	*4923/2	*4923/3
1 1/2"	4924	*4924/1	*4924/2	*4924/3
2"	4925	*4925/1	*4925/2	*4925/3
2 1/2"	4926	*4926/1	*4926/2	
3"	4927	*4927/1	*4927/2	*4927/3
4"	4928	*4928/1	*4928/2	
5"	4929	*4929/1	*4929/2	
6"	4930	*4930/1	*4930/2	

\* Non-standard products, manufactured to order. No returns accepted.



**MALE THREAD KAMLOCK COUPLER**

**TYPE B**

	Measure-ments	Aluminium	Bronze	Stainless steel	Polypropylene
	1/2"	4675	*4675/1	*4675/2	*4675/3
	3/4"	4676	*4676/1	*4676/2	*4676/3
	1"	4677	*4677/1	*4677/2	*4677/3
	1 1/4"	4685	*4685/1	*4685/2	*4685/3
	1 1/2"	4678	*4678/1	*4678/2	*4678/3
	2"	4679	*4679/1	*4679/2	*4679/3
	2 1/2"	4684	*4684/1	*4684/2	
	3"	4680	*4680/1	*4680/2	*4680/3
	4"	4681	*4681/1	*4681/2	
* Non-standard products, manufactured to order. No returns accepted.					
	5"	4682	*4682/1	*4682/2	
	6"	4683	*4683/1	*4683/2	


**KAMLOCK ADAPTOR FOR HOSE**

**TYPE E**

	Measure-ments	Aluminium	Bronze	Stainless steel	Polypropylene
	1/2"	4900	*4900/1	*4900/2	*4900/3
	3/4"	4901	*4901/1	*4901/2	*4901/3
	1"	4902	*4902/1	*4902/2	*4902/3
	1 1/4"	4903	*4903/1	*4903/2	*4903/3
	1 1/2"	4904	*4904/1	*4904/2	*4904/3
	2"	4905	*4905/1	*4905/2	*4905/3
	2 1/2"	4906	*4906/1	*4906/2	
	3"	4907	*4907/1	*4907/2	*4907/3
	4"	4908	*4908/1	*4908/2	
* Non-standard products, manufactured to order. No returns accepted.					
	5"	4909	*4909/1	*4909/2	
	6"	4910	*4910/1	*4910/2	

**MALE THREAD KAMLOCK ADAPTOR**


**TYPE C**

	Measure-ments	Aluminium	Bronze	Stainless steel	Polypropylene
	1/2"	4807	*4807/1	*4807/2	*4807/3
	3/4"	4809	*4809/1	*4809/2	*4809/3
	1"	4810	*4810/1	*4810/2	*4810/3
	1 1/4"	4811	*4811/1	*4811/2	*4811/3
	1 1/2"	4808	*4808/1	*4808/2	*4808/3
	2"	4812	*4812/1	*4812/2	*4812/3
	2 1/2"	4813	*4813/1	*4813/2	
	3"	4814	*4814/1	*4814/2	*4814/3
	4"	4815	*4815/1	*4815/2	
* Non-standard products, manufactured to order. No returns accepted.					
	5"	4816	*4816/1	*4816/2	
	6"	4817	*4817/1	*4817/2	



## KAMLOCK PLUG

## TYPE DP

	Measure-ments	Aluminium	Bronze	Stainless steel	Polypropylene
	1/2"	4935	*4935/1	*4935/2	
	3/4"	4936	*4936/1	*4936/2	*4936/3
	1"	4937	*4937/1	*4937/2	*4937/3
	1 1/4"	4938	*4938/1	*4938/2	
	1 1/2"	4939	*4939/1	*4939/2	*4939/3
	2"	4940	*4940/1	*4940/2	*4940/3
	2 1/2"	4941	*4941/1	*4941/2	
	3"	4942	*4942/1	*4942/2	*4942/3
	4"	4943	*4943/1	*4943/2	
* Non-standard products, manufactured to order. No returns accepted.					
	5"	4944	*4944/1	*4944/2	
	6"	4945	*4945/1	*4945/2	

## KAMLOCK CAP

## TYPE DC

	Measure-ments	Aluminium	Bronze	Stainless steel	Polypropylene
	1/2"	4950	*4950/1	*4950/2	
	3/4"	4951	*4951/1	*4951/2	*4951/3
	1"	4952	*4952/1	*4952/2	*4952/3
	1 1/4"	4953	*4953/1	*4953/2	
	1 1/2"	4954	*4954/1	*4954/2	*4954/3
	2"	4955	*4955/1	*4955/2	*4955/3
	2 1/2"	4956	*4956/1	*4956/2	
	3"	4957	*4957/1	*4957/2	*4957/3
	4"	4958	*4958/1	*4958/2	
* Non-standard products, manufactured to order. No returns accepted.					
	5"	4959	*4959/1	*4959/2	
	6"	4960	*4960/1	*4960/2	



### EXPRESS BUTTERFLY NUT COUPLING



Code	Description	Material
4400	EXPRESS. S/A 20 mm Butterfly nut coupling	Steel
4401	EXPRESS. S/A 25 mm Butterfly nut coupling	Steel

### EXPRESS HOSE COUPLING



Code	Description	Material
4846	EXPRESS. 13 mm hose	Steel
4847	EXPRESS. 19 mm hose	Steel
4848	EXPRESS. 25 mm hose	Steel

### EXPRESS MALE THREAD COUPLING



Code	Description	Material
4451	EXPRESS R/E 13 mm	Steel
4452	EXPRESS R/E 20 mm	Steel
4453	EXPRESS R/E 25 mm	Steel

### EXPRESS FEMALE THREAD COUPLING



Code	Description	Material
4426	13 mm EXPRESS R/I	Steel
4427	20 mm EXPRESS R/I	Steel
4428	25 mm EXPRESS R/I	Steel





### EXPRESS FEMALE THREAD COUPLING



Code	Description	Material
4426	13 mm EXPRESS R/I	Steel
4427	20 mm EXPRESS R/I	Steel
4428	25 mm EXPRESS R/I	Steel

### DOUBLE SCREW EXPRESS CLAMPS



Code	Description	Material
4826	22/29 mm EXPRESS Ac. clamp	Steel
4828	28/34 mm EXPRESS Ac. clamp	Steel
4829	32/40 mm EXPRESS Ac. clamp	Steel
4831	39/49 mm EXPRESS Ac. clamp	Steel
4832	48/60 mm EXPRESS Ac. clamp	Steel
4835	56/72 mm EXPRESS Ac. clamp	Steel
4833	60/76 mm EXPRESS Ac. clamp	Steel
4834	77/94 mm EXPRESS Ac. clamp	Steel

### EXPRESS SAFETY COUPLING FOR STEAM HOSE



Code	Description	Material
4839	3/4" EXPRESS Bronze safety clamp for steam	Steel/Bronze

### EXPRESS COUPLING WITH SAFETY CLAW



Code	Description	Material
4836	22/29 mm EXPRESS Ac. clamp with claw	Steel
4837	28/34 mm EXPRESS Ac. clamp with claw	Steel
4838	32/40 mm EXPRESS Ac. clamp with claw	Steel



SUPER CLAMPS - ZINC PLATED STEEL

(Minimum order according to packaging format)



TECHNICAL DATA

Code	Diameter	Packaging
74000	17 - 19 mm	50
74001	20 - 22 mm	50
74002	23 - 25 mm	50
74003	26 - 28 mm	50
74004	29 - 31 mm	50
74005	32 - 35 mm	50
74006	36 - 39 mm	50
74007	40 - 43 mm	50
74008	44 - 47 mm	50
74009	48 - 51 mm	50
74010	52 - 55 mm	25
74011	56 - 59 mm	25
74012	60 - 63 mm	25
74013	64 - 67 mm	25
74014	68 - 73 mm	25
74015	74 - 79 mm	25
74016	80 - 85 mm	25
74017	86 - 91 mm	25
74018	92 - 97 mm	25
74019	98 - 103 mm	25
74020	104 - 112 mm	25
74021	113 - 121 mm	25
74022	122 - 130 mm	25
74023	131 - 139 mm	10
74024	140 - 148 mm	10
74025	149 - 161 mm	10
74026	162 - 174 mm	10
74027	175 - 187 mm	10
74028	188 - 200 mm	10
74029	201 - 213 mm	10
74030	214 - 226 mm	10
74031	227 - 239 mm	10
74032	240 - 252 mm	10

\* CLAMPS - STAINLESS STEEL MANUFACTURED TO ORDER.



SUPER CLAMPS - ZINC PLATED STEEL

(Minimum order according to packaging format)



TECHNICAL DATA

Code	Diameter	Packaging
-	20 - 32 mm	100
-	25 - 40 mm	100
-	32 - 50 mm	100
-	40 - 50 mm	100
-	50 - 70 mm	100
-	60 - 80 mm	100
-	70 - 90 mm	50
-	82 - 100 mm	50
-	90 - 110 mm	25
-	100 - 120 mm	25
-	110 - 130 mm	25
-	120 - 140 mm	25
-	130 - 150 mm	25
-	140 - 160 mm	25

\* CLAMPS - STAINLESS STEEL MANUFACTURED TO ORDER.



## HOSE TO HOSE CONNECTOR - ZINC PLATED IRON



304 Stainless steel connectors to order.

### TECHNICAL DATA

Code	Description	Measurement
4474	Hose connector	25 - 25
4475	Hose connector	35 - 35
4476	Hose connector	40 - 40
4477	Hose connector	45 - 45
4478	Hose connector	50 - 50
4479	Hose connector	60 - 60
4488	Hose connector	65 - 65
4480	Hose connector	70 - 70
4481	Hose connector	75 - 75
4482	Hose connector	80 - 80
4483	Hose connector	90 - 90
4484	Hose connector	102 - 102
4485	Hose connector	110 - 110
4492	Hose connector	115 - 115
4486	Hose connector	125 - 125
4487	Hose connector	150 - 150
4490	Hose connector	200 - 200
4491	Hose connector	250 - 250

## HOSE TO MALE THREAD CONNECTOR - ZINC PLATED IRON



304 Stainless steel connectors to order.

### TECHNICAL DATA

Code	Description	Measurement
4493	40 mm hose. RE	1 1/4"
4494	50 mm hose. RE	1 1/2"
4495	60 mm hose. RE	2"
4496	75 mm hose. RE	2 1/2"
4497	90 mm hose. RE	3"
4498	102 mm hose. RE	3 1/2"
4499	125 mm hose. RE	4 1/2"
4473	152 mm hose. RE	5"





HOSE REDUCER - ZINC PLATED IRON



TECHNICAL DATA

Code	Description	Measurement
4460	Reducer	65 - 50
4461	Reducer	75 - 50
4462	Reducer	75 - 65
4463	Reducer	90 - 75
4471	Reducer	90 - 63
4464	Reducer	102 - 65
4465	Reducer	102 - 75
4466	Reducer	102 - 90
4467	Reducer	127 - 102
4468	Reducer	152 - 102
4469	Reducer	152 - 127
4470	Reducer	202 - 152

Other variants are manufactured to order  
304 Stainless steel reducers to order.

REDUCER WITH MALE THREAD TO ORDER





**"T" CONNECTOR (3 CONNECTIONS)**



**TECHNICAL DATA**

Code	Descripción	Measurement
*4849	P.T. Connector	50 x 50 x 50
*4850	P.T. Connector	65 x 65 x 65
*4851	P.T. Connector	77 x 77 x 77
*4852	P.T. Connector	90 x 90 x -90
*4853	P.T. Connector	102 x 102 x 102

\* NON-STANDARD PRODUCTS MANUFACTURED TO ORDER. NO RETURNS ACCEPTED

**HOSE TO MALE THREAD CONNECTOR - ZINC PLATED IRON**



**TECHNICAL DATA**

Code	Descripción	Measurement
	P elbow connector	50 mm 90 §
*4860	P elbow connector	65 mm 90 §
*4861	P elbow connector	75 mm 90 §
*4862	P elbow connector	90 mm 90 §
*4863	P elbow connector	102 mm 90 §
*4864	P elbow connector	150 mm 90 §

\* NON-STANDARD PRODUCTS MANUFACTURED TO ORDER. NO RETURNS ACCEPTED